

INVITATION TO BID

STATE OF LOUISIANA

DIVISION OF ADMINISTRATION
OFFICE OF STATE PURCHASING



BIDS WILL BE PUBLICLY OPENED:

MAY 19, 2004 10:00 AM

PURCHASING AGENCY NO. : 107001

====> VENDOR NO. :
SOLICITATION : 2188776
FILE NO. : K506108
OPENING DATE : 05/19/04

====> VENDOR NAME AND ADDRESS

FILL IN VENDOR NUMBER (FEIN), NAME AND ADDRESS ABOVE, BEFORE SUBMITTING BID.

SEE NO. 8 BELOW. RETURN BID TO

2188776 05/19/04 10:00 AM
K506108

OFFICE OF STATE PURCHASING
OFFICE OF STATE PURCHASING
POST OFFICE BOX 94095
BATON ROUGE, LA 70804-9095

BUYER : PETE JONES, CPPB
BUYER PHONE : (225) 342-0274
DATE ISSUED : 04/21/04
REQ. AGENCY : 276000 FOLD HERE-->
LA DEPT OF TRANS & DEVELOPMENT
AGENCY REQ. NO. : 174421
ISIS REQ. NO. : 1262722
VENDOR PHONE :
FISCAL YEAR : 04
CLASS/SUBCLASS : 07053
SCHEDULED BEGIN DATE : 00/00/00
SCHEDULED END DATE : 00/00/00
T-NUMBER :

DOTD TRUCK W/UTILITY BODY
AND AERIAL BASKET

TO BE COMPLETED BY VENDOR

1. PLEASE REMOVE FROM THIS COMMODITY CODE.
2. DELIVERY WILL BE MADE IN THIS NUMBER OF DAYS AFTER RECEIPT OF ORDER.
3. % CASH DISCOUNT FOR PROMPT PAYMENT IF MADE WITHIN THIRTY (30) DAYS. CASH DISCOUNTS FOR LESS THAN 30 DAYS OR LESS THAN 1% WILL BE ACCEPTED, BUT WILL NOT BE CONSIDERED IN DETERMINING AWARDS. ON INDEFINITE QUANTITY TERM CONTRACTS, CASH DISCOUNTS WILL BE ACCEPTED AND TAKEN BUT WILL NOT BE CONSIDERED IN DETERMINING AWARDS.
4. BID BOND ATTACHED, CERTIFIED CHECK ATTACHED, OTHER, IF REQUIRED.
5. BID REFERENCE NUMBER. (THIS NUMBER WILL APPEAR ON RESULTING ORDER OR CONTRACT).

INSTRUCTIONS TO BIDDERS

1. READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SPECIFICATIONS.
2. ALL BID PRICES MUST BE TYPED OR WRITTEN IN INK. ANY CORRECTIONS, ERASURES OR OTHER FORMS OF ALTERATION TO UNIT PRICES SHOULD BE INITIALED BY THE BIDDER.
3. THIS BID IS TO BE MANUALLY SIGNED IN INK.
4. BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. DESTINATION OR AS OTHERWISE PROVIDED. BIDS CONTAINING "PAYMENT IN ADVANCE" OR "C.O.D" REQUIREMENTS MAY BE REJECTED. PAYMENT IS TO BE MADE WITHIN 30 DAYS AFTER RECEIPT OF PROPERLY EXECUTED INVOICE OR DELIVERY, WHICHEVER IS LATER.
5. AMOUNT OF BID BOND REQUIRED: N/A
6. AMOUNT OF PERFORMANCE BOND, IF REQUIRED. OR 0% OF BID.
7. DESIRED DELIVERY: 010DAYS ARO
8. TO ASSURE CONSIDERATION OF YOUR BID, ALL BIDS AND ADDENDA SHOULD BE RETURNED IN AN ENVELOPE OR PACKAGE CLEARLY MARKED WITH THE BID OPENING DATE AND THE BID NUMBER, OR SUBMITTED IN THE SPECIAL ENVELOPE IF FURNISHED FOR THAT PURPOSE.
9. BIDS SUBMITTED ARE SUBJECT TO PROVISIONS OF THE LAWS OF THE STATE OF LOUISIANA INCLUDING BUT NOT LIMITED TO L.R.S. 39:1551-1736; PURCHASING RULES AND REGULATIONS; EXECUTIVE ORDERS; STANDARD TERMS AND CONDITIONS; SPECIAL CONDITIONS; AND SPECIFICATIONS LISTED IN THIS SOLICITATION.
10. IMPORTANT: BY SIGNING THE BID, THE BIDDER CERTIFIES COMPLIANCE WITH ALL INSTRUCTIONS TO BIDDERS, TERMS, CONDITIONS AND SPECIFICATIONS, AND FURTHER CERTIFIES THAT THIS BID IS MADE WITHOUT COLLUSION OR FRAUD. THIS BID IS TO BE MANUALLY SIGNED IN INK BY A PERSON AUTHORIZED TO BIND THE VENDOR (SEE NO.30). ALL BID INFORMATION SHALL BE MADE WITH INK OR TYPEWRITTEN.

FOLD HERE-->

VENDOR PHONE NUMBER:
FAX NUMBER:

TITLE

DATE

SIGNATURE OF AUTHORIZED BIDDER - SEE NO. 30, PAGE 3.
(MUST BE SIGNED)

NAME OF BIDDER
(TYPED OR PRINTED)

STANDARD TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2188776 OPEN DATE: 05/19/04 T-NUMBER :		BIDDER:	PAGE 2
<p>11 ADDRESS ALL INQUIRIES AND CORRESPONDENCE TO THE BUYER AT THE PHONE AND ADDRESS SHOWN ABOVE.</p> <p>12. CONFERENCE: NA NA NA</p> <p>13. BID FORMS. ALL WRITTEN BIDS, UNLESS OTHERWISE PROVIDED FOR, MUST BE SUBMITTED ON, AND IN ACCORDANCE WITH, FORMS PROVIDED, PROPERLY SIGNED (SEE NO. 30). BIDS SUBMITTED IN THE FOLLOWING MANNER WILL NOT BE ACCEPTED: A. BID CONTAINS NO SIGNATURE INDICATING INTENT TO BE BOUND; B. BID FILLED OUT IN PENCIL; AND C. BID NOT SUBMITTED ON THE STATE'S STANDARD FORMS.</p> <p>BIDS MUST BE RECEIVED AT THE ADDRESS SPECIFIED IN THE SOLICITATION PRIOR TO BID OPENING TIME IN ORDER TO BE CONSIDERED. TELEGRAPHIC AND FAX ALTERATIONS TO BIDS RECEIVED BEFORE BID OPENING TIME WILL BE CONSIDERED PROVIDED FORMAL BID AND WRITTEN ALTERATION HAVE BEEN RECEIVED AND TIME-STAMPED BEFORE BID OPENING TIME. ENTIRE BID SHOULD BE RETURNED, EXCEPT ITEM PAGES NOT BID.</p> <p>14. STANDARDS OF QUALITY. ANY PRODUCT OR SERVICE BID SHALL CONFORM TO ALL APPLICABLE FEDERAL AND STATE LAWS AND REGULATIONS AND THE SPECIFICATIONS CONTAINED IN THE SOLICITATION. UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFORMANCE, AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION. BIDDER MUST SPECIFY THE BRAND AND MODEL NUMBER OF THE PRODUCT OFFERED IN HIS BID. BIDS NOT SPECIFYING BRAND AND MODEL NUMBER SHALL BE CONSIDERED AS OFFERING THE EXACT PRODUCTS SPECIFIED IN THE SOLICITATION.</p> <p>15. DESCRIPTIVE INFORMATION. BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATIONS, DESCRIPTIVE LITERATURE, TECHNICAL DATA) SUFFICIENT FOR STATE OF LOUISIANA TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION. FAILURE TO SUBMIT DESCRIPTIVE INFORMATION MAY CAUSE BID TO BE REJECTED. ANY CHANGE MADE TO A MANUFACTURER'S PUBLISHED SPECIFICATIONS SUBMITTED FOR A PRODUCT SHALL BE VERIFIABLE BY THE MANUFACTURER. IF ITEM(S) BID DO NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER MUST STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.</p> <p>16. BID OPENING. BIDDERS MAY ATTEND THE BID OPENING, BUT NO INFORMATION OR OPINIONS CONCERNING THE ULTIMATE CONTRACT AWARD WILL BE GIVEN AT THE BID OPENING OR DURING THE EVALUATION PROCESS. BIDS MAY BE EXAMINED WITHIN 72 HOURS AFTER BID OPENING. INFORMATION PERTAINING TO COMPLETED FILES MAY BE SECURED BY VISITING THE STATE OF LOUISIANA DURING NORMAL WORKING HOURS. WRITTEN BID TABULATIONS WILL NOT BE FURNISHED.</p> <p>17. AWARDS. THE STATE OF LOUISIANA RESERVES THE RIGHT TO AWARD ITEMS SEPARATELY, GROUPED OR ON AN ALL-OR-NONE BASIS AND TO REJECT ANY OR ALL BIDS AND WAIVE ANY INFORMALITIES.</p> <p>18. PRICES . UNLESS OTHERWISE SPECIFIED BY THE STATE OF LOUISIANA IN THE SOLICITATION, BID PRICES MUST BE COMPLETE, INCLUDING TRANSPORTATION PREPAID BY BIDDER TO DESTINATION AND FIRM FOR ACCEPTANCE FOR A MINIMUM OF 30 DAYS. IF ACCEPTED, PRICES MUST BE FIRM FOR THE CONTRACTUAL PERIOD. BIDS OTHER THAN F.O.B. DESTINATION MAY BE REJECTED. PRICES SHOULD BE QUOTED IN THE UNIT (EACH, BOX, CASE, ETC.) AS SPECIFIED IN THE SOLICITATION.</p> <p>19. DELIVERIES. BIDS MAY BE REJECTED IF THE DELIVERY TIME INDICATED IS LONGER THAN THAT SPECIFIED IN THE SOLICITATION.</p> <p>20. TAXES. VENDOR IS RESPONSIBLE FOR INCLUDING ALL APPLICABLE TAXES IN THE BID PRICE. STATE AGENCIES ARE EXEMPT FROM ALL STATE AND LOCAL SALES AND USE TAXES.</p>			

STANDARD TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2188776 OPEN DATE: 05/19/04 T-NUMBER :		TIME: 10:00 AM BIDDER:	PAGE 3

21. NEW PRODUCTS.
UNLESS SPECIFICALLY CALLED FOR IN THE SOLICITATION, ALL PRODUCTS FOR PURCHASE MUST BE NEW, NEVER PREVIOUSLY USED, AND THE CURRENT MODEL AND/OR PACKAGING. NO REMANUFACTURED, DEMONSTRATOR, USED OR IRREGULAR PRODUCT WILL BE CONSIDERED FOR PURCHASE UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION. THE MANUFACTURER'S STANDARD WARRANTY WILL APPLY UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

22. CONTRACT RENEWALS.
UPON AGREEMENT OF THE STATE OF LOUISIANA AGENCY AND THE CONTRACTOR, A TERM CONTRACT MAY BE EXTENDED FOR 2 ADDITIONAL 12-MONTH PERIODS AT THE SAME PRICES, TERMS AND CONDITIONS. IN SUCH CASES, THE TOTAL CONTRACT TERM CANNOT EXCEED 36 MONTHS.

23. CONTRACT CANCELLATION.
THE STATE OF LOUISIANA HAS THE RIGHT TO CANCEL ANY CONTRACT, IN ACCORDANCE WITH PURCHASING RULES AND REGULATIONS, FOR CAUSE, INCLUDING BUT NOT LIMITED TO, THE FOLLOWING: (1) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT; (2) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION; (3) MISREPRESENTATION BY THE CONTRACTOR; (4) FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE STATE; (5) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW; (6) ANY OTHER BREACH OF CONTRACT.

24. DEFAULT OF CONTRACTOR.
FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE BID WILL CONSTITUTE A DEFAULT AND MAY CAUSE CANCELLATION OF THE CONTRACT. WHERE THE STATE HAS DETERMINED THE CONTRACTOR TO BE IN DEFAULT, THE STATE RESERVES THE RIGHT TO PURCHASE ANY OR ALL PRODUCTS OR SERVICES COVERED BY THE CONTRACT ON THE OPEN MARKET AND TO CHARGE THE CONTRACTOR WITH COST IN EXCESS OF THE CONTRACT PRICE. UNTIL SUCH ASSESSED CHARGES HAVE BEEN PAID, NO SUBSEQUENT BID FROM THE DEFAULTING CONTRACTOR WILL BE CONSIDERED.

25. ORDER OF PRIORITY.
IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL CONDITIONS, THE SPECIAL CONDITIONS SHALL GOVERN.

26. APPLICABLE LAW.
ALL CONTRACTS SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.

27. COMPLIANCE WITH CIVIL RIGHTS LAWS.
BY SUBMITTING AND SIGNING THIS BID, BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION WITHOUT REGARD TO RACE, COLOR, RELIGION, SEX, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.

28. SPECIAL ACCOMMODATION.
ANY "QUALIFIED INDIVIDUAL WITH A DISABILITY" AS DEFINED BY THE AMERICANS WITH DISABILITIES ACT WHO HAS SUBMITTED A BID AND DESIRES TO ATTEND THE BID OPENING, MUST NOTIFY THIS OFFICE IN WRITING NOT LATER THAN SEVEN DAYS PRIOR TO THE BID OPENING DATE OF THEIR NEED FOR SPECIAL ACCOMMODATIONS. IF THE REQUEST CANNOT BE REASONABLY PROVIDED, THE INDIVIDUAL WILL BE INFORMED PRIOR TO THE BID OPENING.

29. INDEMNITY.
CONTRACTOR AGREES, UPON RECEIPT OF WRITTEN NOTICE OF A CLAIM OR ACTION, TO DEFEND THE CLAIM OR ACTION, OR TAKE OTHER APPROPRIATE MEASURE, TO INDEMNIFY, AND HOLD HARMLESS, THE STATE, ITS OFFICERS, ITS AGENTS AND ITS EMPLOYEES FROM AND AGAINST ALL CLAIMS AND ACTIONS FOR BODILY INJURY, DEATH OR PROPERTY DAMAGES CAUSED BY THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. CONTRACTOR IS OBLIGATED TO INDEMNIFY ONLY TO THE EXTENT OF THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. HOWEVER, THE CONTRACTOR SHALL HAVE NO OBLIGATION AS SET FORTH ABOVE WITH RESPECT TO ANY CLAIM OR ACTION FROM BODILY INJURY, DEATH OR PROPERTY DAMAGES ARISING OUT OF THE FAULT OF THE STATE, ITS OFFICERS, ITS AGENTS OR ITS EMPLOYEES.

30. SIGNATURE AUTHORITY.
IN ACCORDANCE WITH L.R.S. 39:1594 (ACT 121), THE PERSON SIGNING THE BID MUST BE:

1. A CURRENT CORPORATE OFFICER, PARTNERSHIP MEMBER OR OTHER INDIVIDUAL SPECIFICALLY AUTHORIZED TO SUBMIT A BID AS REFLECTED IN THE APPROPRIATE RECORDS ON FILE WITH THE SECRETARY OF STATE; OR
2. AN INDIVIDUAL AUTHORIZED TO BIND THE VENDOR AS REFLECTED BY A CORPORATE RESOLUTION, CERTIFICATE OR AFFIDAVIT; OR
3. OTHER DOCUMENTS INDICATING AUTHORITY WHICH ARE ACCEPTABLE TO THE PUBLIC ENTITY.

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2188776 OPEN DATE: 05/19/04 T-NUMBER :	TIME: 10:00 AM	BIDDER:	PAGE 4

1 BID DELIVERY INSTRUCTIONS FOR STATE PURCHASING:

BIDDERS ARE HEREBY ADVISED THAT THE U.S. POSTAL SERVICE DOES NOT MAKE DELIVERIES TO OUR PHYSICAL LOCATION.

BIDS MAY BE MAILED THROUGH THE U.S. POSTAL SERVICE TO OUR BOX AT:
 OFFICE OF STATE PURCHASING
 P O BOX 94095
 BATON ROUGE LA 70804-9095

BIDS MAY BE DELIVERED BY HAND OR COURIER SERVICE TO OUR PHYSICAL LOCATION AS FOLLOWS:

OFFICE OF STATE PURCHASING
 CLAIBORNE BUILDING, SUITE 2-160
 1201 NORTH THIRD STREET
 BATON ROUGE, LA 70802

BIDDER IS SOLELY RESPONSIBLE FOR ENSURING THAT ITS COURIER SERVICE PROVIDER MAKES INSIDE DELIVERIES TO OUR PHYSICAL LOCATION. THE OFFICE OF STATE PURCHASING IS NOT RESPONSIBLE FOR ANY DELAYS CAUSED BY THE THE BIDDER'S CHOSEN MEANS OF BID DELIVERY.

BIDDER IS SOLELY RESPONSIBLE FOR THE TIMELY DELIVERY OF ITS BID. FAILURE TO MEET THE BID OPENING DATE & TIME SHALL RESULT IN REJECTION OF THE BID.

 PUBLICIZING AWARDS. IN ACCORDANCE WITH L.A.C.34:I.535, UNSUCCESSFUL BIDDERS WILL BE NOTIFIED OF THE AWARD PROVIDED THAT THEY SUBMIT WITH THEIR BID A SELF-ADDRESSED STAMPED ENVELOPE REQUESTING THIS INFORMATION.

ATTENTION:

RECEIPT OF A SOLICITATION OR AWARD CANNOT BE RELIED UPON AS AN ASSURANCE OF RECEIVING FUTURE SOLICITATIONS. IN ORDER TO RECEIVE FUTURE SOLICITATIONS/AWARDS FROM THIS OFFICE, YOU MUST ENROLL IN THE PROPER CATEGORY ON LAPAC OR ON STATE PURCHASING'S AGPS BIDDERS LIST. ENROLLMENT IN LAPAC IS FREE AND PROVIDES EMAIL NOTIFICATION OF BID OPPORTUNITIES BASED UPON COMMODITIES THAT YOU SELECT.

- 2 TERMS AND CONDITIONS. THIS SOLICITATION CONTAINS ALL TERMS AND CONDITIONS WITH RESPECT TO THE COMMODITIES HEREIN. ANY VENDOR CONTRACTS, FORMS, TERMS OR OTHER MATERIALS SUBMITTED WITH BID MAY CAUSE BID TO BE REJECTED.
- 3 VENDOR'S FORMS. THE PURCHASE/RELEASE ORDER IS THE ONLY BINDING DOCUMENT TO BE ISSUED AGAINST THIS CONTRACT. SIGNING OF VENDOR'S FORMS IS NOT ALLOWED.

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2188776 OPEN DATE: 05/19/04 T-NUMBER :	TIME: 10:00 AM	BIDDER:	PAGE 5

4 INVOICES. INVOICES WILL BE SUBMITTED BY THE CONTRACTOR TO THE USING AGENCY AND THE INVOICE SHALL REFER TO THE DELIVERY TICKET NUMBER, DELIVERY DATE, PURCHASE/RELEASE ORDER NUMBER. QUANTITY, UNIT PRICE, AND DELIVERY POINT. A SEPARATE INVOICE FOR EACH ORDER DELIVERED AND ACCEPTED SHALL BE SUBMITTED BY THE CONTRACTOR IN DUPLICATE DIRECTLY TO THE ACCOUNTING DEPARTMENT OF THE USING AGENCY. INVOICES SHALL SHOW THE AMOUNT OF ANY CASH DISCOUNT AND SHALL BE SUBMITTED ON THE CONTRACTOR'S OWN INVOICE FORM.

5 COMPLIANCE WITH CIVIL RIGHTS LAWS. BY SUBMITTING AND SIGNING THIS SOLICITATION, THE BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND TITLE VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, THE FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VIETNAM ERA VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION, WITHOUT REGARD TO RACE, COLOR, RELIGION, SEX, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.

6 PREFERENCE. IN ACCORDANCE WITH LOUISIANA REVISED STATUTES 39:1595, A PREFERENCE MAY BE ALLOWED FOR PRODUCTS MANUFACTURED, PRODUCED, GROWN, OR ASSEMBLED IN LOUISIANA OF EQUAL QUALITY.

DO YOU CLAIM THIS PREFERENCE? YES _____

SPECIFY LINE NUMBER(S) : _____

SPECIFY LOCATION WITHIN LOUISIANA WHERE THIS PRODUCT IS MANUFACTURED, PRODUCED, GROWN OR ASSEMBLED: _____

(NOTE: IF MORE SPACE IS REQUIRED, INCLUDE ON SEPARATE SHEET.)

DO YOU HAVE A LOUISIANA BUSINESS WORKFORCE? YES _____ NO _____

IF SO, DO YOU CERTIFY THAT AT LEAST FIFTY PERCENT (50%) OF YOUR LOUISIANA BUSINESS WORKFORCE IS COMPRISED OF LOUISIANA RESIDENTS?

YES _____ NO _____

FAILURE TO SPECIFY ABOVE INFORMATION MAY CAUSE ELIMINATION FROM PREFERENCES. PREFERENCES SHALL NOT APPLY TO SERVICE CONTRACTS.

7 CERTIFICATION OF NO SUSPENSION OR DEBARMENT. BY SIGNING AND SUBMITTING ANY BID FOR \$100,000 OR MORE, THE BIDDER CERTIFIES THAT

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2188776 OPEN DATE: 05/19/04 T-NUMBER :	TIME: 10:00 AM	BIDDER:	PAGE 6

THEIR COMPANY, ANY SUBCONTRACTORS, OR PRINCIPALS ARE NOT SUSPENDED OR DEBARRED BY THE GENERAL SERVICES ADMINISTRATION (GSA) IN ACCORDANCE WITH THE REQUIREMENTS IN OMB CIRCULAR A-133.

A LIST OF PARTIES WHO HAVE BEEN SUSPENDED OR DEBARRED CAN BE VIEWED VIA THE INTERNET AT WWW.ARNET.GOV/EPLS

8

VENDOR MUST SUPPLY ORIGINAL SALES INVOICE WITH
DELIVERY OF EQUIPMENT. TITLED EQUIPMENT SHOULD
BE MADE OUT TO: LA. DEPT. OF TRANSPORTATION
& DEVELOPMENT

9

IF BIDDING OTHER THAN SPECIFIED, SUFFICIENT INFORMATION SHOULD BE ENCLOSED WITH THE BID IN ORDER TO DETERMINE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS.

FAILURE TO COMPLY WITH THIS REQUEST MAY ELIMINATE YOUR BID FROM CONSIDERATION.

10

LITERATURE AND/OR SPECIFICATIONS MUST BE SUBMITTED UPON REQUEST; IF REQUESTED, LITERATURE AND/OR SPECIFICATIONS MUST BE SUBMITTED WITHIN SEVEN (7) DAYS.

11

BIDDER SHOULD INDICATE EITHER THEIR COMPLIANCE WITH EACH STATED SPECIFICATION REQUIREMENT, OR THEIR PROPOSED SPECIFICATION. FAILURE TO INDICATE ANY DEVIATIONS WILL BE INTERPRETED TO MEAN BIDDER IS FURNISHING EXACTLY AS SPECIFIED.

THE SPECIFICATIONS DESCRIBE THE MINIMUM REQUIREMENTS. THE EQUIPMENT SHALL BE NEW, OF CURRENT MANUFACTURE, A PRODUCTION MODEL, AND MUST MEET ALL STATE AND FEDERAL SAFETY STANDARDS IN EFFECT AT THE TIME OF DELIVERY.

ANY ADDITIONS, DELETIONS, OR VARIATIONS FROM THE SPECIFICATIONS SHOULD BE NOTED IN WRITING. MINOR DEVIATIONS FROM THE SPECIFICATIONS WHICH DO NOT IMPAIR COMPARATIVE FUNCTIONAL EQUIVALENCY WILL BE ACCEPTED.

WORKMANSHIP: ANY EQUIPMENT DELIVERED UNDER THIS SPECIFICATION IS SUBJECT TO REJECTION IF THERE IS EVIDENCE OF POOR WORKMANSHIP BY EITHER THE VENDOR, OR THE ORIGINAL MANUFACTURER. ANY DEFECT MUST BE CORRECTED TO SPECIFICATION AND TO THE SATISFACTION OF THE AGENCY PRIOR TO INVOICE PAYMENT.

TWO (2) COMPLETE SETS OF MANUFACTURER'S LITERATURE AND SPECIFICATIONS SHOULD BE SUBMITTED WITH YOUR BID.

SUCCESSFUL VENDOR SHALL FURNISH OWNERS, OPERATIONS, AND SERVICE MANUALS.

STANDARD WARRANTIES SHALL APPLY UNLESS OTHERWISE SPECIFIED.

A SAFETY INSPECTION SHALL BE PERFORMED ON EACH UNIT PRIOR TO DELIVERY

SPECIAL TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2188776 OPEN DATE: 05/19/04 T-NUMBER :	BIDDER:	PAGE 7

AND A LOUISIANA INSPECTION STICKER PROPERLY AFFIXED.

****NOTE: DO NOT INCLUDE THE COST OF THE SAFETY INSPECTION IN YOUR BID PRICE. THE STATE OF LOUISIANA, OFFICE OF STATE PURCHASING WILL ADD THE COST OF THE SAFETY INSPECTION TO THE BID AMOUNT UPON AWARD. THIRTEEN DOLLARS (\$13.00) WILL BE ADDED TO EACH VEHICLE WHEN THE SUCCESSFUL VENDOR IS DOMICILED IN THE FOLLOWING PARISHES: EBR, WBR, IBERVILLE, ASCENSION AND LIVINGSTON. UPON AWARD THE STATE OF LOUISIANA, OFFICE OF STATE PURCHASING WILL ADD TEN DOLLARS (\$10.00) TO ALL SUCCESSFUL VENDOR'S BID WHOSE DOMICILE PARISH IS OTHER THAN LISTED ABOVE.

PRE-DELIVERY SERVICING AND ADJUSTMENT: DO NOT ATTACH ANY DEALER IDENTIFICATION, ADVERTISING, OR SIMILAR MATERIAL TO THE VEHICLE(S). THE VEHICLE(S) SHALL BE CLEAN AND FREE FROM DEFECTS WHEN DELIVERED. PRIOR TO ACCEPTANCE BY THE STATE, EACH VEHICLE SHALL BE SERVICED AND ADJUSTED FOR OPERATIONAL USE, TO INCLUDE AS A MINIMUM, THE FOLLOWING:

1. A LOUISIANA TEMPORARY LICENSE PLATE.
2. A LOUISIANA SAFETY INSPECTION STICKER (UNLESS OTHERWISE SPECIFIED ON PURCHASE ORDER).
3. A MINIMUM OF EIGHT (8) GALLONS OF FUEL FOR AUTOMOBILES, STATION WAGONS, VANS, AND TRUCKS (ONE (1) TON AND UNDER). A MINIMUM OF TWELVE (12) GALLONS OF FUEL FOR MEDIUM DUTY TRUCKS, AND TWENTY FIVE (25) GALLONS OF FUEL FOR HEAVY TRUCKS AND BUSES.
4. FOCUSING OF LIGHTS.
5. TUNING OF ENGINE.
6. ADJUSTMENT OF ACCESSORIES.
7. CHECKING OF ELECTRICAL, BRAKING, AND SUSPENSION SYSTEMS.
8. CHARGING OF BATTERY(IES).
9. ALIGNMENT OF FRONT END.
10. INFLATION OF TIRES.
11. BALANCING OF ALL WHEELS, INCLUDING THE SPARE.
12. COMPLETE LUBRICATION OF ENGINE, CHASSIS, AND OPERATING MECHANISMS, WITH RECOMMENDED GRADES OF LUBRICANTS FOR THE AMBIENT TEMPERATURE AT THE POINT OF DELIVERY.
13. SERVICING OF COOLING SYSTEM WITH PERMANENT TYPE ANTIFREEZE AND SUMMER COOLANT FOR MINUS 20 DEGREES FAHRENHEIT PROTECTION.
14. SERVICING OF WINDSHIELD WASHER RESERVOIR WITH WATER AND APPROPRIATE ADDITIVES.

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2188776 OPEN DATE: 05/19/04 T-NUMBER :	TIME: 10:00 AM	BIDDER:	PAGE 8

SPECIFY MAKE AND MODEL PROVIDING: _____

LIST ANY ADDITIONAL OPTIONAL EQUIPMENT YOU ARE FURNISHING OVER THE REQUESTED REQUIREMENTS:

_____	_____
_____	_____
_____	_____
_____	_____

LIST ANY DELETIONS BELOW THE REQUESTED REQUIREMENTS:

_____	_____
_____	_____
_____	_____
_____	_____

VENDOR'S TELEPHONE NUMBER: _____

- 12 IN ORDER TO BE AWARDED THE BID, VENDOR MUST BE LICENSED BY THE LOUISIANA MOTOR VEHICLE COMMISSION IN ACCORDANCE WITH R.S. 32:1251 AND/OR LOUISIANA USED MOTOR VEHICLE & PARTS COMMISSION IN ACCORDANCE WITH R.S. 32:771
LOUISIANA MOTOR VEHICLE COMMISSION (504) 838-5207
LOUISIANA USED MOTOR VEHICLE & PARTS COMMISSION (225) 925-3870

- 13 *****

NOTICE

BY SIGNING THE BID, THE BIDDER CERTIFIES HIS COMPLIANCE WITH ALL LICENSING REGULATIONS SET FORTH BY THE LOUISIANA MOTOR VEHICLE COMMISSION AND/OR LOUISIANA USED MOTOR VEHICLE & PARTS COMMISSION.

PRICE SHEET

INVITATION TO BID

NUMBER : 2188776

OPEN DATE : 05/19/04

TIME: 10:00 AM

T-NUMBER :

BIDDER:

PAGE

9

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	UNLESS SPECIFIED ELSEWHERE SHIP TO: LA DEPT OF TRANS & DEVELOPMENT MAINTENANCE DOTD MAINTENANCE 42-009 1701 FOSS DRIVE BATON ROUGE , LA 70802				
00001	COMMODITY CODE: 070-53-000000 TRUCK, CAB & CHASSIS 35,000# GVWR, WITH UTILITY BODY AND 47' AERIAL BASKET AS PER ATTACHED SPECIFICATIONS FREIGHTLINER M2-106 (OR APPROVED EQUAL) CAB & CHASSIS BRAND: _____ CAB & CHASSIS MODEL: _____ BODY BRAND/MODEL: _____ SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	1	EACH		

K-50610-8

D. O. T. D.
TECHNICAL SPECIFICATIONS FOR

**TRUCK, CAB & CHASSIS, 35,000# GVWR
W/UTILITY BODY & 47' AERIAL BASKET
SERIES NO. 153-500 & 177-700**

WARNING TO BIDDERS: Bidder should complete every item described in detail in the "Specifications Description" section by either entering a check mark in the space provided to indicate the item being bid is exactly as specified or bidder should enter a written description to indicate any proposed item which will deviate from the specifications.

THIS SPECIFICATIONS SHOULD BE EXECUTED IN ACCORDANCE WITH THE ABOVE INSTRUCTIONS AND RETURNED ALONG WITH BID AND LITERATURE TO BE CONSIDERED FOR AN AWARD

ITEM I/D	SPECIFICATIONS DESCRIPTIONS	BIDDER'S PROPOSAL
General	<p>These specifications describe the requirements for a truck, cab & chassis, 35,000# GVWR, with utility body and 47' aerial basket. This equipment shall be new, of current manufacture, a production model, and must meet all state and Federal safety standards in effect at time of delivery. <u>Any additions, deletions, or variations from the following specifications should be noted.</u> Any items appearing in the manufacturer's regular published specifications furnished by the Bidder are assumed to be included in the "Bidder's Proposal". <u>Any additions, deletions or variations from the manufacturer's regular published specifications should be outlined in an attached letter.</u> Minor deviations from this specification which are within 5% and do not impair comparative functional equivalency will be accepted except as follows:</p> <ul style="list-style-type: none"> • Where minimum are specified no deviations will be accepted that do not meet or exceed minimum stated requirements. • Where maximum are specified no deviations will be acceptable that exceed maximum stated requirements. 	
Typical Specifications	<p>A Freightliner M2-106 and an International 4400 with Telelect High Ranger 42 OM and a Knapheide Line body was used to develop these specifications. Equipment of similar style, type, character, quality and purpose conforming to the detailed requirements listed below will be considered equivalent.</p>	

ITEM I/D	SPECIFICATIONS DESCRIPTIONS	BIDDER'S PROPOSAL
Workmanship	<p>Any unit delivered under this specification is subject to rejection if there is evidence of poor workmanship, by either the vendor or the original manufacturer. Any defect, so noted, may be corrected by the vendor to the satisfaction of the Equipment Manager or his representative.</p> <p>All defect corrections must be completed to the satisfaction of the Equipment Manager before invoices can be processed for payment.</p> <p>Vendor installation of any portion of equipment unit(s) should be stated in "Bidder's Proposal". Failure to note such installations can result in rejection of the unit(s) at the time of delivery.</p>	
<u>TRUCK</u>		
Type	Utility body, 47' aerial basket.	
GVWR	35,000 lbs. minimum	
Wheelbase	168".	
Cab to Axle	102" (must accommodate utility body specified)	
Cab	Standard, conventional, tinted safety glass, bench seat.	
Engine	Diesel, electronic, 7.2L, 250 minimum gross HP, 800 lb./ft. torque minimum @ 1440 RPM maximum.	
Transmission	Automatic, 5 speed, Allison 3500 RDS.	
PTO	Hot shift, 2 gear, single speed.	
PTO Control	Air or electric shift.	
Front Axle	12,000 lbs. minimum capacity. Springs 6,000 lbs. minimum each at ground.	
Rear Axle	23,000 lbs. minimum capacity, single speed. Heavy duty springs 11,500 lbs. minimum at ground, auxiliary springs, ratio to permit truck to operate at 65 MPH on highway @ 2200 RPM.	
153-500/Pg - 50		

ITEM I/D	SPECIFICATIONS DESCRIPTIONS	BIDDER'S PROPOSAL
Frame	1,628,000 minimum RBM.	
Electrical System	12 volt, 160 amp alternator, batteries, 1900 CCA total.	
Wheels	Hub piloted steel disc, 22.5" X 8.25".	
Tires	11R X 22.5, 14 ply, first line, first quality, single front, dual rear. To be compatible with GVWR (35,000#). Full size spare tire and wheel.	
Fuel Tank(s)	70 gallons minimum.	
Brakes	Full air ABS brake system with automatic slack adjusters, automatic moisture ejectors.	
Air Dryer	Bendix ADIP or approved equal.	
Compressor	13.2 CFM.	
Trailer Connections	To be chassis mounted to end of frame.	
Accessories	Combination tachometer/hour meter, oil pressure, water temperature and ammeter (voltmeter) gauges, cigarette lighter, dual sunshades, fresh air heater and defroster, air conditioner, front two hooks, 6" X 16" mirrors on both sides of cab, power steering, intermittent electric windshield washer/wipers, daytime running lights, 12 ton hydraulic jack, 4-way lug wrench. Remote mounted engine controls and AM/FM radio.	
<u>AERIAL DEVICE:</u>	Specifications for a 42' overcenter articulating aerial device.	
Bottom of Basket Height	Bottom of basket height shall be 42' minimum with a working height of 47'.	
Horizontal Reach	Side reach from center line of rotation to outside edge of basket shall be 35' minimum.	
Mounting	Unit shall be mounted over the rear axle and shall include two sets of double acting hydraulic A-frame outriggers complete with holding valves.	
Rotation	Rotation shall be continuous and unrestricted at approximately one (1) RPM. Turntable bearing shall be of the heavy duty shear ball design powered by a reversible hydraulic orbit motor and a self-locking gear box.	
153-500/Pg - 51		

ITEM I/D	SPECIFICATIONS DESCRIPTIONS	BIDDER'S PROPOSAL
Tower Pedestal	Tower pedestal and turret shall be of welded high strength steel construction. Turret to be equipped with self-aligning steel ball swivel bushing for attaching lower boom.	
Pedestal	Pedestal shall be welded to a tubular subframe and the subframe shall be of sufficient strength to withstand all torsional loads imposed by the aerial device. The subframe is to be bolted to the chassis frame with tie down plates and cap screws loaded in shear.	
Oil Reservoir	Shall have a 25 gallon minimum capacity complete with anti-splash baffles, 100 mesh screen in the filler cap, 40 mesh screen in the tank outlet, dip stick and access hole for tank clean out. Oil tank shall be located in tower or in a protected area to prevent damage or from being covered with debris. A 10 micron return line filter complete with bypass valve to prevent restricted flow shall be provided.	
Lower Boom	<p>Shall be equipped with one double acting hydraulic lift cylinder complete with one pad mounted, pilot operated holding valve.</p> <p>Lower boom articulation shall be a minimum of 105 degrees. Lower boom shall be constructed of high strength tubular steel and designed to provide <u>maximum strength and rigidity</u>. The lower boom hinge pin is to be a minimum of 2.5" in diameter. A lower boom fiberglass insert shall be provided with a minimum insulation gap of 18". A boom storage/support cradle with tie-down strap shall be provided.</p>	
Upper Boom	<p>Upper boom shall be equipped with one double acting hydraulic cylinders complete with one pad mounted, pilot operated holding valve.</p> <p>Upper boom articulation shall be a minimum of 198 degrees. All cylinder pivot points shall be equipped with self-aligning steel swivel bushings. The upper boom shall be constructed of a steel weldment at the knuckle end and a rectangular fiberglass upper boom. Upper boom shall provide a minimum of 111" clear insulation in any position.</p>	

ITEM I/D	SPECIFICATIONS DESCRIPTIONS	BIDDER'S PROPOSAL
Controls	Hydraulic, self-centering, all weather single stick top controls complete with "deadman" lever to prevent any accidental boom movement shall be furnished at basket. Hydraulic lower controls capable of completely overriding top controls shall be located in any accessible location on the turret.	
Platform	<p>Single side mounted, two-man, fiberglass baskets, 24" X 48" X 42" deep with access step, 600 lbs. capacity and hydraulic basket rotator shall be furnished.</p> <p>Basket and control cover shall be waterproof with a quick releasing on/off method of fastening the cover over the baskets and controls.</p> <p>The basket shall be capable of horizontal tilt for incapacitated personnel rescue and clean out of basket debris. A built-in lanyard "D" ring attachment complete with two (2) operator safety harnesses shall be supplied.</p>	
Throttle Control	To automatically activate acceleration of the engine during actuation of any hydraulic function.	
Stabilizer	Two (2) sets of A-frame outriggers with holding valves. Outrigger spread shall be 148" minimum pin-to-pin. Outrigger penetration shall be 9.75" minimum.	
Platform Leveling	Hydraulic and/or positive mechanical leveling of basket, maintaining all boom insulating requirements shall be supplied.	
Hydraulic Systems	<p>A hydraulic pump capable of supplying the necessary flow to power the aerial device shall be supplied. The pump shall be equipped with a direct mount flange for mounting to PTO.</p> <p>A PTO complete with air control and compatible with truck transmission shall be supplied. All necessary hydraulic oils and lubricants for proper operation of the aerial device shall be at their required levels with aerial device in travel position. One (1) gate valve for suction line shall be provided and located in an accessible location for proper oil line shut off. High pressure hoses with non-restrictive fittings shall be standard. Nylon non-conductive hoses shall be used whenever insulating characteristics are required. 12 volt emergency hydraulic system.</p>	

ITEM I/D	SPECIFICATIONS DESCRIPTIONS	BIDDER'S PROPOSAL
MADDC Decals	MADDC "Danger" decals shall be placed at appropriate places on the boom and the body.	
Certified & Tested	Unit shall be tested and certified for operation up to 46 KV working line voltage per ANSI A92.2-1990. This aerial device shall be manufactured and tested in accordance with OSHA and ANSI A92.9-1990.	
Accessories	Hydraulic tool outlets shall be supplied at the basket. Polyethylene basket liners with a 50 KV rating and properly fitted shall be supplied. Access step to basket mounted on top of curbside compartment to facilitate safe access to basket. Lighting and reflective package including reflectors, marker lights, 3 lamp identification cluster and backup lights to meet Federal regulation #108. Two (2) outrigger pad holders shall be mounted in an accessible location to the outriggers. Mud flaps.	
Jib	Hydraulic articulating, manual telescopic jib providing minimum 105 degrees articulation and 2' - 6' of manual extension complete with jib head sheave.	
Winch	Hydraulic winch shall be mounted on the jib. Independently controlled with minimum capacity of 2000 lbs. equipped with 60' of ½" diameter stable braid rope with eye splice and hook.	
<u>UTILITY BODY</u>		
Type	Aerial service line body, suitable for installing on any chassis with an approximately CA dimension of 102", built in accordance with the following specifications, including a walk-in step.	
Body	Constructed of automotive high grade steel with hot dipped zinc alloy coating for corrosion resistance, all welded construction. 14 gauge outside panel 18 gauge shelving 3/16 diamond plate steel floor 14 gauge end panels Heavy duty structural channel sub-base	
153-500/Pg - 54		

ITEM I/D	SPECIFICATIONS DESCRIPTIONS	BIDDER'S PROPOSAL
Body Dimension	147" minimum overall length, 94" minimum outside width, 50" front of body height, 18" compartment depth, 58" floor width.	
Compartmentation (Left Side)	First Vertical: Seven (7) fixed material hooks. Second Vertical: Two (2) adjustable shelves. Third: Four (4) fixed material hooks. Horizontal: Single shelf Fourth Vertical: Two (2) adjustable shelves.	
Compartmentation (Right Side)	First Vertical: Access steps to cargo area with grab handle. Second Vertical: Four (4) drawers. Third Vertical: Four (4) fixed material hooks. Horizontal: First 2' bins 6" X 6", total 16 bins. Remaining area vacant. Fourth Vertical: Two (2) adjustable shelves.	
AC Electrical	Electric power to be provided by a Dimensions Unlimited, Model DUI-12/1800N <u>pure sinewave</u> inverter. Inverter to be mounted in front right side compartment. 110 VAC GFI outlets to be provided at the unit. Mount two (2) duplex receptacles, rain-tight, (one right rear and one right front) easy access. Use marine type wire, AWG#14, run to inverter with male plugs.	
Standard Features	Basic body fabricated from cold-rolled automotive steel with zinc alloy coating electrically welded construction. All doors are full double paneled, self-sealed with built-in drainage for maximum weather tightness. Steel hinge rod extends entire length of door. All doors contain flush type, single point locks, with recessed handles, including keyed locks and two-stage strikers. Heavy gauge, welded steel base construction with safety tread floor. All edges either rolled or folded for strength and safety. Door header drip rail at top for maximum weather protection. Tailgate - 6" high. A universal bar type master locking system at rear of body for locking all compartment doors. Steel treated for extra good primer bond and rust resistance.	
Bumper/Step	Heavy duty combination bumper and step, with pintle hitch braced to chassis frame. Complete with two (2) "D" rings and 7-way trailer plug and glad hands.	

ITEM I/D	SPECIFICATIONS DESCRIPTIONS	BIDDER'S PROPOSAL
Treadplate	Installed on top of body compartments.	
Lights	<p>Compartment lighting - all compartments on body to have internal 12 volt tube lighting. Lights to be mounted over doorway and down each side of opening. Maximum ampere draw to be .15 amps per ft. of tubing. Vista, Model RKL or approved equal. An in-cab switch shall be supplied and powered from the master switch.</p> <p>Two (2) beacon lights are required, one on each side of boom rest. Lights are to be permanently mounted, extended to the edge of the cab, with the base of the units on the same elevation as the roof of the cab. Lights are to be equipped with red and amber side to side filters. The red filters are to be placed over the outboard rotators. Lights to be 12V with a maximum ampere draw of 9.0 amps each. An in-cab control switch is required and should be powered by the master switch. Lights to be Public Safety Equipment, Model 6100 or approved equal.</p> <p>Two (2) - 5" electric remote control search lights with in-cab controls. Each unit to include control panel with on/off, spot/flood switch, variable speed control and single control for vertical and horizontal movement. One light to be mounted on the topside of the front streetside body compartment. The other to be mounted on the rear curbside, Jabsco, Model 62022-3002 or approved equal.</p>	
Accessories	Aerial basket tool bucket, install safety warning decals for general purpose users.	
Paint	Manufacturer's standard white, body and aerial device to match chassis cab.	
Serviced	Ready for operation.	
Parts	Vendor should attach to bid a listing of the Louisiana locations where parts and service can be obtained.	

ITEM I/D	SPECIFICATIONS DESCRIPTIONS	BIDDER'S PROPOSAL
Descriptive Literature	TWO (2) COPIES OF DESCRIPTIVE PRODUCT ADVERTISEMENT-LITERATURE (BROCHURES) SHOULD BE FURNISHED WITH BID.	
Product Support Literature	<p>Equipment will not be considered delivered nor invoices processed for payment until all manual(s) are furnished according to the following guidelines and unit(s) are checked for compliance with Department specifications.</p> <p>Vendors are urged to order manuals as soon as Purchase Order is received. All manual(s) should be referenced to the appropriate Purchase Order.</p> <p>EACH PIECE OF EQUIPMENT WILL BE ACCOMPANIED BY: TWO (2) COPIES (UNLESS OTHERWISE NOTED) OF THE FOLLOWING LITERATURE.</p> <ol style="list-style-type: none"> 1. Certificate of Origin (one copy) 2. Dealer's Service Policy (one) 3. Owner's/Operator's Manual (one) 4. A notarized Bill of Sale (two per unit) 5. Copies of all manufacture's standard product warranties along with warranties covering any equipment subsystems (engines, tires, accessories, etc.) Attached to the principal equipment. 6. Miscellaneous manuals, service manuals (two copies each) including: <ol style="list-style-type: none"> a. Safety manual describing operator "do's and don'ts" for safe operation. b. Tire Care Maintenance/Tire Care Manual. 7. Invoices will not be processed for payment until the delivered unit passes inspection for specification compliance. 	
Louisiana Safety Inspection	Safety inspection shall be performed on each vehicle prior to delivery and a Louisiana safety sticker properly affixed.	
Miscellaneous Requirements	<p>Vehicle shall comply with Louisiana State and Federal emission requirements in effect at time of delivery.</p> <p>Vehicle must be capable of having a shortwave two-way radio installed with up to 100 watts RF output power with no interference to ignition nor other electronic dependent systems.</p> <p><u>NOTE: TIME OF DELIVERY MAY BE CONSIDERED IN DETERMINING SUCCESSFUL BIDDER.</u></p>	